Chapter 20.90 INDUSTRIAL PARK (IP)

Sections:

20.90.010 INTENT.

20.90.020 OUTRIGHT PERMITTED USES.

20.90.040 CONDITIONAL USES.

20.90.060 DEVELOPMENT STANDARDS.

20.90.070 DESIGN STANDARDS.

20.90.080 PARKING REQUIREMENTS.

20.90.090 LANDSCAPING REQUIREMENTS.

20.90.100 SIGNS STANDARDS.

20.90.010 INTENT.

The intent of the industrial park (IP) zone is to provide an environment for and conducive to a broad range of existing and future light industrial, office and large retail uses. The industrial park (IP) zone ensures a well planned complex with attention to landscaping and architectural features. Site design in the industrial park (IP) zone ensures compatibility with neighboring less intense uses, and provides a high-quality environment for the conduct of business.

20.90.020 OUTRIGHT PERMITTED USES.

The following uses are permitted outright:

- (a) Automobile service and repair;
- (b) Car wash;
- (c) Community facility;
- (d) Day care facility;
- (e) Drive-through facility;
- (f) Entertainment uses:
- (g) Finance, insurance and real estate;
- (h) Gas station:
- (i) General and large retail;
- (i) General office and business services;
- (k) Kennel;
- (I) Light industrial/manufacturing;
- (m) Medical office:
- (n) Nursery and greenhouse;
- (o) Outdoor athletic field and sports complex;
- (p) Outdoor storage:
- (q) Physical fitness and health club;
- (r) Public administration;
- (s) Recycling collection station:
- (t) Restaurant;
- (u) Schools and education uses;
- (v) Transportation facility;
- (w) Veterinary clinic;
- (x) Warehousing;
- (y) Wireless telecommunications facility per BMC 20.46.140;
- (z) Worship and religious facility.

20.90.040 CONDITIONAL USES.

The following uses may be permitted, provided a conditional use permit is approved pursuant to BMC 20.58.020:

- (a) Heavy industrial/manufacturing, provided:
 - (1) The applicant can demonstrate that the use will not significantly detract from the visual character as seen from public rights-of-way or any adjacent lot. Unkempt or unsightly storage, refuse, yard, or equipment areas are elements with potential to negatively impact visual character;
 - (2) No odor, dust or smoke byproduct will be clearly detectable on any abutting commercial or residential lot:
 - (3) All standards of the noise levels ordinance, Chapter 6.32 BMC, are met;
 - (4) No unshielded light or glare will be visible during periods of darkness in a residential zone.

20.90.060 DEVELOPMENT STANDARDS.

Lot development requirements shall be in accordance with the following standards unless allowed for by law otherwise:

- (a) Minimum front yard setback: fifteen (15) feet, except twenty (20) feet from residentially zoned lots including residentially zoned lots across a public right-of-way from the IP zone.
- (b) Minimum side yard setback: ten (10) feet, except when adjacent to the low density residential zone (R-10) where a ten (10) to twenty (20) foot visual screen is required pursuant to BMC 20.50.050(b).
- (c) Minimum rear yard setback: ten (10) feet, except when adjacent to the low density residential zone (R-10) where a ten (10) to twenty (20) foot visual screen is required pursuant to BMC 20.50.050(b).
- (d) Maximum building height: fifty (50) feet; provided, that where abutting a residential zone, structures shall be set back one (1) additional foot for each additional foot of height above thirty-five (35) feet.
- (e) Maximum building coverage: eighty-five (85) percent, provided all setbacks and landscape requirements are met.
- (f) Maximum development coverage: eighty-five (85) percent, provided all setbacks and landscape requirements are met.

20.90.070 DESIGN STANDARDS.

Development in the industrial park zone shall meet the following standards:

- (a) Outdoor storage areas shall be screened from all adjacent property lines with one (1) of the following types:
 - (1) A solid view-obscuring fence or wall at least eight (8) feet in height;
 - (2) A densely planted, view-obscuring evergreen shrub or hedge at least eight (8) feet in height, and thirty (30) inches in depth;
- (b) Outdoor storage of materials exceeding fifteen (15) feet in height shall not be located within thirty-five (35) feet of any property line.
- (c) Drive-through facilities and drive-through lanes shall be accessed from the rear of a site and run along an interior lot line or building elevation.

20.90.080 PARKING REQUIREMENTS.

Parking shall meet the standards of Chapter 20.48 BMC.

20.90.090 LANDSCAPING REQUIREMENTS.

Landscaping shall meet the standards of Chapter 20.50 BMC.

20.90.100 SIGNS STANDARDS.

Signs shall meet the standards of Chapter <u>20.52</u> BMC. For freestanding signs, the maximum size and height standards of Figure 20.52(a) shall apply.